Brain Research, 487 (1989) 407–409
Elsevier

Author Index

Adachi, S., Oka, J.-I. and Fukuda, H., Calcium-dependent dynamic changes in the subcellular distribution of calmodulin in frog spinal cells, 196
Akaike, N., see Kaneda, M., 192
Arends, J.J.A. and Zeigler, H.P., Cerebellar connections of the trigeminal system in the pigeon (*Columba livia*), 69
Ashton, D., Van Reempts, J., Haseldonckx, M. and Willems, R., Dorsal–ventral gradient in vulnerability of CA1 hippocampus to ischemia: a combined histological and electrophysiological study, 368
Ashton, D., Willems, R. and Wauquier, A., Selective vulnerability of synaptic transmission in hippocampus to ex-vivo ischemia: effects of extracellular ionic substitution in the postischemic period, 402
Atrens, D.M., see Siviy, S.M., 79

Baba, A., see Koyama, Y., 113
Baker, J.D., see Hawkins, M.F., 188
Barber, W.D. and Yuan, C.-S., Gastric vagal-splanchnic interactions in the brainstem of the cat, 1
Baumeister, A.A., see Hawkins, M.F., 188
Blanks, R.H.I. and Torigoe, Y., Orientation of the semicircular canals in rat, 278
Bobbin, R.P., see Puel, J.L., 9
Brioni, J.D., Nagahara, A.H. and McGaugh, J.L., Involvement of the amygdala GABAergic system in the modulation of memory storage, 105
Buntin, J.D., see Fechner Jr., J.H., 245
Buscher, W., Schugens, M., Wagner, U. and Huston, J.P., Interhemispheric relationship between lateral hypothalamic self-stimulation and the region of the nucleus tegmenti pedunculo-pontinus, 321
Bushnell, M.C., see Marchand, S., 388

Carter, D.A. and Murphy, D., Cyclic nucleotide dynamics in the rat hypothalamus during osmotic stimulation: in vivo and in vitro studies, 350
Cervos-Navarro, J., see Gertz, H.-J., 373
Chan, P.H. and Chu, L., Ketamine protects cultured astrocytes from glutamate-induced swelling, 380
Chen, E., see Schmued, L., 131
Chu, L., see Chan, P.H., 380
Coderre, T.J., see Taiwo, Y.O., 148
Coirini, H., see Schumacher, M., 178
Colton, E., see Schmued, L., 131
Crawley, J.N., see Drugan, R.C., 45

Dail, W.G. and Hamill, R.W., Parasympathetic nerves in penile erectile tissue of the rat contain choline acetyltransferase, 165
Davis, K.L., see Haroutunian, V., 200
Depaulis, A., see Lee, R.J., 363
Deutsch, S.I., see Drugan, R.C., 45
Di Chiara, G., see Morelli, M., 120
Dowling, J.E., see Perlman, I., 16
Dreher, J.K. and Jackson, D.M., Role of D_1 and D_2 dopamine receptors in mediating locomotor activity elicited from the nucleus accumbens of rats, 267
Drugan, R.C., Morrow, A.L., Weizman, R., Weizman, A., Deutsch, S.I., Crawley, J.N. and Paul, S.M., Stress-induced behavioral depression in the rat is associated with a decrease in GABA receptor-mediated chloride ion flux and brain benzodiazepine receptor occupancy, 45
Duncan, G.H., see Marchand, S., 388

Ellison, J.A., see Noble, L.J., 299

Fallon, J., see Schmued, L., 131
Fallon, M., see Puel, J.L., 9
Fechner Jr., J.H. and Buntin, J.D., Localization of prolactin binding sites in ring dove brain by quantitative autoradiography, 245
Fenu, S., see Morelli, M., 120
Fukuda, H., see Adachi, S., 196

Garin-Chesa, P., see Rettig, W.J., 171
Gertz, H.-J., Schoknecht, G., Krüger, H. and Cervos-Navarro, J., Stability of cell size and nucleolar size in tangle-bearing neurons of the hippocampus in Alzheimer's disease, 373
Greig, N.H., see Soncrant, T.T., 255

Hamaoka, T., see Nagashima, A., 392
Hamill, R.W., see Dail, W.G., 165
Hanin, I., see Potter, P.E., 238
Haroutunian, V., Kanof, P.D. and Davis, K.L., Attenuation of nucleus basalis of Meynert lesion-induced cholinergic deficits by nerve growth factor, 200
Haseldonckx, M., see Ashton, D., 368
Hattori, H., see Morin, A.M., 376
Hawkins, M.F., Baker, J.D. and Baumeister, A.A., Neurotensin-induced polydipsia: a structure-activity study, 188
Hayashi, T., see Kodama, T., 35
Hernandez, T.D., Jones, G.H. and Schallert, T., Co-administration of Ro 15-1788 prevents diazepam-induced retardation of recovery of function, 89
Hirai, K., see Katayama, Y., 62
Holloway, H.W., see Soncrant, T.T., 255
Huston, J.P., see Buscher, W., 321

Ikemoto, Y., see Kaneda, M., 192
Ikonomidou, C., Mosinger, J.L. and Olney, J.W., Hypothermia enhances protective effect of MK-801 against hypoxic/ischemic brain damage in infant rats, 184
Inoue, N., see Sakanaka, M., 357
Iwata, H., see Koyama, Y., 113

Jackson, D.M., see Dreher, J.K., 267
Jaeger, C.B. and Wolf, A.L., Neo-pathway formation of dissociated neural grafts demonstrated by immunocytochemistry, fluorescent microspheres, and retrograde transport, 225
Jhamandas, J.H., Lind, R.W. and Renaud, L.P., Angiotensin II may mediate excitatory neurotransmission from the subfornical organ to the hypothalamic supraoptic nucleus: an anatomical and electrophysiological study in the rat, 52

Jones, G.H., see Hernandez, T.D., 89

Kamiya, H., see Nagashima, A., 392
Kaneda, M., Oyama, Y., Ikemoto, Y. and Akaike, N., Scorpion toxin prolongs an inactivation phase of the voltage-dependent sodium current in rat isolated single hippocampal neurons, 192
Kanof, P.D., see Haroutunian, V., 200
Katayama, Y. and Hirai, K., Somatostatin presynaptically inhibits transmitter release in feline parasympathetic ganglia, 62
Keller, R.W., see Salamone, J.D., 215
Kevetter, G.A, see Newlands, S.D., 152
Kindel, G., see Potter, P.E., 238
Knapp, A.G., see Perlman, I., 16
Kodama, T., Mushiake, H., Shima, K., Hayashi, T. and Yamamoto, M., Slow fluctuations of single unit activities of hippocampal and thalamic neurons in cats. II. Role of serotonin on the stability of neuronal activities, 35
Kodama, T., Mushiake, H., Shima, K., Nakahama, H. and Yamamoto, M., Slow fluctuations of single unit activities of hippocampal and thalamic neurons in cats. I. Relation to natural sleep and alert states, 26
Kogure, K., see Onodera, H., 343
Kostreva, D.R., Fetal glucose utilization using maternal plasma glucose and scintillation values, 384
Koyama, Y., Baba, A. and Iwata, H., L-[^{35}S]Cysteic acid selectively detects chloride-dependent L-glutamate transporters in synaptic membrane, 113
Kritikos, A., see Siviy, S.M., 79
Krüger, H., see Gertz, H.-J., 373

Lee, H., see Schmued, L., 131
Lee, R.J., Depaulis, A., Lomax, P. and Olsen, R.W., Anticonvulsant effect of muscimol injected into the thalamus of spontaneously epileptic Mongolian gerbils, 363
Lehoullier, P.F. and Ticku, M.K., The pharmacological properties of GABA receptor-coupled chloride channels using ^{36}Cl-influx in cultured spinal cord neurons, 205
Levine, J.D. and Taiwo, Y.O., β-Estradiol induced catecholamine-sensitive hyperalgesia: a contribution to pain in Raynaud's phenomenon, 143
Levine, J.D., see Taiwo, Y.O., 148
Lind, R.W., see Jhamandas, J.H., 52
Lomax, P., see Lee, R.J., 363

Magari, S., see Sakanaka, M., 357
Marchand, S., Trudeau, N., Bushnell, M.C. and Duncan, G.H., A primate model for the study of tonic pain, pain tolerance and diffuse noxious inhibitory controls, 388
Matsunaga, T., see Yamamoto, K., 158
Matsuoka, Y., see Nagashima, A., 392
May, L.J. and Wightman, R.M., Heterogeneity of stimulated dopamine overflow within rat striatum as observed with in vivo voltammetry, 311
McEwen, B.S., see Schumacher, M., 178
McGaugh, J.L., see Brioni, J.D., 105
Morelli, M., Fenu, S. and Di Chiara, G., Substantia nigra as a site of origin of dopamine-dependent motor syndromes induced by stimulation of μ and δ opioid receptors, 120
Morin, A.M., Hattori, H., Wasterlain, C.G. and Thomson, D., [^{3}H]MK-801 binding sites in neonate rat brain, 376
Morrow, A.L., see Drugan, R.C., 45
Mosinger, J.L., see Ikonomidou, C., 184

Müller, C.M. and Singer, W., Acetylcholine-induced inhibition in the cat visual cortex is mediated by a GABAergic mechanism, 335
Murphy, D., see Carter, D.A., 350
Mushiake, H., see Kodama, T., 26
Mushiake, H., see Kodama, T., 35

Nagahara, A.H., see Brioni, J.D., 105
Nagashima, A., Takano, Y., Tateishi, K., Matsuoka, Y., Hamaoka, T. and Kamiya, H., Cardiovascular roles of tachykinin peptides in the nucleus tractus solitarii of rats, 392
Nakahama, H., see Kodama, T., 26
Naujoks-Manteuffel, C. and Roth, G., Astroglial cells in a salamander brain (*Salamandra salamandra*) as compared to mammals: a glial fibrillary acidic protein immunohistochemistry study, 397
Newlands, S.D., Kevetter, G.A. and Perachio, A.A., A quantitative study of the vestibular commissures in the gerbil, 152
Noble, L.J. and Ellison, J.A., Effect of transection on the blood–spinal cord barrier of the rat after isolation from descending sources, 299

Oka, J.-I., see Adachi, S., 196
Olney, J.W., see Ikonomidou, C., 184
Olsen, R.W., see Lee, R.J., 363
Onodera, H. and Kogure, K., Mapping second messenger systems in the rat hippocampus after transient forebrain ischemia: in vitro [^{3}H]forskolin and [^{3}H]inositol 1,4,5-trisphosphate binding, 343
Oyama, Y., see Kaneda, M., 192

Paul, S.M., see Drugan, R.C., 45
Perachio, A.A., see Newlands, S.D., 152
Perlman, I., Knapp, A.G. and Dowling, J.E., Responses of isolated white perch horizontal cells to changes in the concentration of photoreceptor transmitter agonists, 16
Phermsangngam, P., see Schmued, L., 131
Potter, P.E., Tedford, C.E, Kindel, G. and Hanin, I., Inhibition of high affinity choline transport attenuates both cholinergic and non-cholinergic effects of ethylcholine aziridinium (AF64A), 238
Puel, J.L., Bobbin, R.P. and Fallon, M., Suppression of auditory nerve activity in the guinea pig cochlea by 1-(*p*-bromobenzoyl)-piperazine-2,3-dicarboxylic acid, 9

Rapoport, S.I., see Soncrant, T.T., 255
Renaud, L.P., see Jhamandas, J.H., 52
Rettig, W.J., Triche, T.J. and Garin-Chesa, P., Stimulation of human neuronectin secretion by brain-derived growth factors, 171
Roth, G., see Naujoks-Manteuffel, C., 397

Sakanaka, M., Magari, S., Shibasaki, T. and Inoue, N., Co-localization of corticotropin-releasing factor- and enkephalin-like immunoreactivities in nerve cells of the rat hypothalamus and adjacent areas, 357
Salamone, J.D., Keller, R.W., Zigmond, M.J. and Stricker, E.M., Behavioral activation in rats increases striatal dopamine metabolism measured by dialysis perfusion, 215
Schallert, T., see Hernandez, T.D., 89
Schmued, L., Phermsangngam, P., Lee, H., Thio, S., Chen, E., Truong, P., Colton, E. and Fallon, J., Collateralization and GAD immunoreactivity of descending pallidal efferents, 131

Schoknecht, G., see Gertz, H.-J., 373
Schugens, M., see Buscher, W., 321
Schumacher, M., Coirini, H. and McEwen, B.S., Regulation of high-affinity $GABA_A$ receptors in the dorsal hippocampus by estradiol and progesterone, 178
Senba, E., see Yamamoto, K., 158
Sheperd, A., see Siviy, S.M., 79
Shibasaki, T., see Sakanaka, M., 357
Shibuki, K., Calcium-dependent and ouabain-resistant oxygen consumption in the rat neurohypophysis, 96
Shima, K., see Kodama, T., 26
Shima, K., see Kodama, T., 35
Singer, W., see Müller, C.M., 335
Siviy, S.M., Kritikos, A., Atrens, D.M. and Sheperd, A., Effects of norepinephrine infused in the paraventricular hypothalamus on energy expenditure in the rat, 79
Soncrant, T.T., Holloway, H.W., Greig, N.H. and Rapoport, S.I., Regional brain metabolic responsivity to the muscarinic cholinergic agonist arecoline is similar in young and aged Fischer-344 rats, 255
Stricker, E.M., see Salamone, J.D., 215
Szczepanik, A.M., see Wilmot, C.A., 288

Taiwo, Y.O., Coderre, T.J. and Levine, J.D., The contribution of training to sensitivity in the nociceptive paw-withdrawal test, 148
Taiwo, Y.O., see Levine, J.D., 143
Takano, Y., see Nagashima, A., 392
Tateishi, K., see Nagashima, A., 392
Tedford, C.E., see Potter, P.E., 238
Thio, S., see Schmued, L., 131
Thomson, D., see Morin, A.M., 376
Ticku, M.K., see Lehoullier, P.F., 205
Tohyama, M., see Yamamoto, K., 158
Torigoe, Y., see Blanks, R.H.I., 278
Triche, T.J., see Rettig, W.J., 171
Trudeau, N., see Marchand, S., 388
Truong, P., see Schmued, L., 131

Van Reempts, J., see Ashton, D., 368

Wagner, U., see Buscher, W., 321
Wasterlain, C.G., see Morin, A.M., 376
Wauquier, A., see Ashton, D., 402
Weizman, A., see Drugan, R.C., 45
Weizman, R., see Drugan, R.C., 45
Wightman, R.M., see May, L.J., 311
Willems, R., see Ashton, D., 368
Willems, R., see Ashton, D., 402
Wilmot, C.A. and Szczepanik, A.M., Effects of acute and chronic treatments with clozapine and haloperidol on serotonin ($5\text{-}HT_2$) and dopamine (D_2) receptors in the rat brain, 288
Wolf, A.L., see Jaeger, C.B., 225

Yamamoto, K., Senba, E., Matsunaga, T. and Tohyama, M., Calcitonin gene-related peptide containing sympathetic preganglionic and sensory neurons projecting to the superior cervical ganglion of the rat, 158
Yamamoto, M., see Kodama, T., 26
Yamamoto, M., see Kodama, T., 35
Yuan, C.-S., see Barber, W.D., 1

Zeigler, H.P., see Arends, J.J.A., 69
Zigmond, M.J., see Salamone, J.D., 215